

L Number	Hits	Search Text	DB	Time stamp
-	0	(system near3 (program\$5 or configur\$6))with ((periheral adj3 control\$4)or (hoast adj adapter))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:40
-	0	((program\$5 or configur\$6))with ((periheral adj3 control\$4)or (hoast adj adapter))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:40
-	1	((program\$5 or configur\$6))same ((periheral adj3 control\$4)or (hoast adj adapter))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:41
-	0	((periheral adj3 control\$4)or (hoast adj adapter))with ((shar\$4 or common)adj3 (non\$volatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:41
-	2	(system near3 (program\$5 or configur\$6))and ((periheral adj3 control\$4)or (hoast adj adapter))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:41
-	0	((periheral adj3 control\$4)or (hoast adj adapter))with ((deviod or without)near6 (non\$volatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:40
-	0	((periheral adj3 control\$4)or (hoast adj adapter))same ((deviod or without)near6 (non\$volatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:44
-	51	(system near3 (program\$5 or configur\$6))with ((periheral adj3 control\$4)or (host adj adapter))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 16:47
-	300	((program\$5 or configur\$6))with ((periheral adj3 control\$4)or (host adj adapter))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:41
-	587	((program\$5 or configur\$6))same ((periheral adj3 control\$4)or (host adj adapter))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:41
-	0	((periheral adj3 control\$4)or (host adj adapter))with ((shar\$4 or common)adj3 (non\$volatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:41
-	737	(system near3 (program\$5 or configur\$6))and ((periheral adj3 control\$4)or (host adj adapter))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:41
-	2	((periheral adj3 control\$4)or (host adj adapter))same ((deviod or without)near6 (non\$volatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:41
-	2	((periheral adj3 control\$4)or (host adj adapter))same ((deviod or without)near6 (non\$volatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:45
-	1	((periheral adj3 control\$4)or (host adj adapter))with ((deviod or without)near6 (non\$volatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:46
-	1	((periheral adj3 control\$4)or (host adj adapter))same ((deviod or without)near6 (nonvolatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:47
-	1	((periheral adj3 control\$4)or (host adj adapter))same ((deviod or without)near6 (nonvolatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:47
-	2	((periheral adj3 control\$4)or (host adj adapter))same ((deviod or without)near6 (non\$volatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:48
-	0	((periheral adj3 control\$4)or (host adj adapter))same ((deviod)adj6 (non\$volatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:50
-	29	((deviod)adj6 (non\$volatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:53

-	0	((devoid)adj6 (non\$volatile or eeprom or eeprom or flash))) and ((periheral adj3 control\$4)or (host adj adapter))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:49
-	4	((devoid)adj6 (non\$volatile or eeprom or eeprom or flash))) and ((periheral adj3 control\$4)or (host))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:50
-	4	((devoid)adj6 (non\$volatile or eeprom or eeprom or flash))) and ((periheral)or (host))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:50
-	5	((devoid)adj6 (non\$volatile or eeprom or eeprom or flash))) and ((peripheral)or (host))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:50
-	0	((peripheral adj3 control\$4)or (host adj adapter))same ((devoid)adj6 (non\$volatile or eeprom or eeprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:50
-	0	((peripheral adj3 control\$4)or (host))same ((devoid)adj6 (non\$volatile or eeprom or eeprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:51
-	4	((peripheral adj3 control\$4)or (host))and ((devoid)adj6 (non\$volatile or eeprom or eeprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:51
-	23	((devoid)near4 (non\$volatile or eeprom or eeprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:53
-	5822	((devoid or without)near4 (non\$volatile or eeprom or eeprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 16:49
-	24	((devoid or (without adj independent))near4 (non\$volatile or eeprom or eeprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:53
-	1926	((devoid or without)near4 (non\$volatile or eeprom or eeprom or flash))) and (computer or motherboard or (host adj adapter))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:55
-	2	((devoid or (without adj independent))near4 (non\$volatile or eeprom or eeprom or flash))) and (computer or motherboard or (host adj adapter))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:54
-	93	((devoid or without)near4 (non\$volatile or eeprom or eeprom or flash))) and (motherboard or (host adj adapter))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:55
-	338	((devoid or without)near4 (non\$volatile or eeprom or eeprom or flash))) and (bios or (program adj instruction))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:56
-	59	((devoid or without)near4 (non\$volatile or eeprom or eeprom or flash))) and (motherboard or (host adj adapter))) and (bios or (program adj instruction))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 13:56
-	25	((devoid or without)near4 (non\$volatile or eeprom or eeprom or flash))) and (motherboard or (host adj adapter))) and ((boot\$4 or reset\$4 or power\$on)with (host or peripheral))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:20
-	17	((devoid or without)near4 (non\$volatile or eeprom or eeprom or flash))) and (motherboard or (host adj adapter))) and (bios or (program adj instruction))) and ((boot\$4 or reset\$4 or power\$on)with (host or peripheral))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:10
-	1	(host or PCI or (peripheral adj3 interface))same ((devoid or (without adj independent))with (non\$volatile or eeprom or eeprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:18
-	10	(host or PCI or (peripheral adj3 interface))and ((devoid or (without adj independent))with (non\$volatile or eeprom or eeprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:21
-	4298	((boot\$4 or reset\$4 or power\$on)with ((host adj adapter) or peripheral or pci))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 16:47

-	0	(((boot\$4 or reset\$4 or power\$on)with ((host adj adapter) or peripheral or pci))) and ((devoid or (without adj independent))with (non\$volatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:22
-	0	(((boot\$4 or reset\$4 or power\$on)with ((host adj adapter) or peripheral or pci))) and ((devoid or (without adj independent))same (non\$volatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:21
-	54	(((boot\$4 or reset\$4 or power\$on)with ((host adj adapter) or peripheral or pci))) and ((retriev\$4 or acess\$6)same (system adj6 (bios or flash or non\$volatile or eeprom or prom or eprom or rom)))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 16:48
-	36	(((boot\$4 or reset\$4 or power\$on)with ((host adj adapter) or peripheral or pci))) and ((retriev\$4 or acess\$6)same (system adj6 (bios or flash or non\$volatile or eeprom or prom or eprom or rom))) and ((download\$4 or stor\$6)same (ram or volatile))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:25
-	37	(((boot\$4 or reset\$4 or power\$on)with ((host adj adapter) or peripheral or pci))) and ((retriev\$4 or acess\$6)same (system adj6 (bios or flash or non\$volatile or eeprom or prom or eprom or rom))) and ((download\$4 or stor\$6 or sav\$4)same (ram or volatile))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:25
-	36	(((boot\$4 or reset\$4 or power\$on)with ((host adj adapter) or peripheral or pci))) and ((retriev\$4 or acess\$6)same (system adj6 (bios or flash or non\$volatile or eeprom or prom or eprom or rom))) and ((download\$4 or stor\$6 or sav\$4)same (ram or volatile)) and (execut\$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:47
-	32597	christopher.inv.	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:52
-	80	christopher.inv. and booting	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:53
-	1	(christopher.inv. and booting) and (host adj adapter)	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:53
-	21	(christopher.inv. and booting) and (pci)	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:50
-	32	(christopher.inv. and booting) and (bios)	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:54
-	11	((christopher.inv. and booting) and (pci)) and (bios)	USPAT; US-PGPUB; IBM_TDB	2004/07/12 16:48
-	792	McCarty.inv.	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:53
-	1	McCarty.inv. and (host adj adapter)	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:53
-	1	McCarty.inv. and booting	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:54
-	1	McCarty.inv. and (bios)	USPAT; US-PGPUB; IBM_TDB	2004/07/12 14:54
-	1321	(((boot\$4 or reset\$4 or power\$on)with ((host adj adapter) or peripheral or pci))	EPO; JPO; DERWENT	2004/07/12 16:47

-	1	(system near3 (program\$5 or configur\$6))with ((periheral adj3 control\$4)or (host adj adapter))	EPO; JPO; DERWENT	2004/07/12 16:47
-	0	(((boot\$4 or reset\$4 or power\$on)with ((host adj adapter) or peripheral or pci))) and ((retriev\$4 or acess\$6)same (system adj6 (bios or flash or non\$volatile or eeprom or prom or eprom or rom)))	EPO; JPO; DERWENT	2004/07/12 16:48
-	0	((christopher.inv. and booting) and (pci)) and (bios)	EPO; JPO; DERWENT	2004/07/12 16:48
-	1942	((devoid or without)near4 (non\$volatile or eeprom or eprom or flash))	EPO; JPO; DERWENT	2004/07/12 16:57
-	0	((((devoid or without)near4 (non\$volatile or eeprom or eprom or flash))) with (host adj adapter)	EPO; JPO; DERWENT	2004/07/12 16:50
-	0	((((devoid or without)near4 (non\$volatile or eeprom or eprom or flash))) and (host adj adapter)	EPO; JPO; DERWENT	2004/07/12 16:51
-	2	((((devoid or without)near4 (non\$volatile or eeprom or eprom or flash))) with (pci or adapter)	EPO; JPO; DERWENT	2004/07/12 16:50
-	9	(boot\$4 or configur\$7 or power\$on or reset or initiali\$7)near4 (host adj adapter)	EPO; JPO; DERWENT	2004/07/12 16:55
-	447	(boot\$4 or configur\$7 or power\$on or reset or initiali\$7)near4 ((host or peripheral) adj3 (device or apparatus or adapter))	EPO; JPO; DERWENT	2004/07/12 16:56
-	0	((boot\$4 or configur\$7 or power\$on or reset or initiali\$7)near4 ((host or peripheral) adj3 (device or apparatus or adapter))) and ((devoid or without)near4 (non\$volatile or eeprom or eprom or flash))	EPO; JPO; DERWENT	2004/07/12 17:01
-	5	((devoid)near4 (non\$volatile or eeprom or eprom or flash))	EPO; JPO; DERWENT	2004/07/12 16:58
-	0	((boot\$4 or configur\$7 or power\$on or reset or initiali\$7)near4 ((host or peripheral) adj3 (device or apparatus or adapter))) and ((devoid or (without adj independent))near4 (non\$volatile or eeprom or eprom or flash))	EPO; JPO; DERWENT	2004/07/12 16:58
-	4	((devoid)adj4 (non\$volatile or eeprom or eprom or flash))	EPO; JPO; DERWENT	2004/07/12 16:59
-	21	((devoid)adj4 (non\$volatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/12 16:59
-	1	((boot\$4 or configur\$7 or power\$on or reset or initiali\$7)near4 ((host or peripheral) adj3 (device or apparatus or adapter))) and ((dedicat\$4 or independent or special)near4 (non\$volatile or eeprom or eprom or flash))	EPO; JPO; DERWENT	2004/07/12 17:03
-	10	((host or peripheral) adj3 (device or apparatus or adapter)) and ((dedicat\$4 or independent or special)near4 (non\$volatile or eeprom or eprom or flash))	EPO; JPO; DERWENT	2004/07/12 17:03
-	14	((host or peripheral) adj3 (device or apparatus or adapter)) same ((dedicat\$4 or independent or special or without or deviod)near4 (non\$volatile or eeprom or eprom or flash))	EPO; JPO; DERWENT	2004/07/13 08:24
-	0	xerf.asn.	USPAT	2004/07/13 08:17
-	0	fujixerox.asn.	USPAT	2004/07/13 08:17
-	42	((host or peripheral) adj3 (device or apparatus or adapter)) same ((dedicat\$4 or independent or special or without or deviod)near4 (non\$volatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM_TDB	2004/07/13 08:24

-	6	((host or peripheral) adj3 (device or apparatus or adapter)) same ((dedicat\$4 or independent or special)near4 (non\$volatile or eeprom or eprom or flash))	EPO; JPO; DERWENT	2004/07/13 08:50
-	4	10228373.pn.	EPO; JPO; DERWENT	2004/07/13 08:58
-	1	hanasato.inv.	USPAT	2004/07/13 08:54
-	1	tadatoshi.inv. and flash	USPAT	2004/07/13 08:53
-	0	tadatoshi.inv. and hanasato	USPAT	2004/07/13 08:54
-	0	tadatoshi.inv. and 10228373.pn.	USPAT	2004/07/13 08:56
-	196	tadatoshi.inv.	USPAT	2004/07/13 08:56
-	217	tadatoshi.inv.	USPAT; US-PGPUB; IBM_TDB	2004/07/13 08:56
-	0	tadatoshi.inv. and 10228373.pn.	USPAT	2004/07/13 08:56
-	0	tadatoshi.inv. and 10228373.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/13 08:57
-	1	tadatoshi.inv. and xerox	USPAT; US-PGPUB; IBM_TDB	2004/07/13 08:57
-	5	tadatoshi.inv. and fuji	USPAT; US-PGPUB; IBM_TDB	2004/07/13 08:57
-	36	secondary adj3 adapter	EPO; JPO; DERWENT	2004/07/13 09:01
-	5	(secondary adj3 adapter) and (boot\$4 or configur\$7 or initial\$7 or program\$7)	EPO; JPO; DERWENT	2004/07/13 09:01
-	197	secondary adj3 adapter	USPAT; US-PGPUB; IBM_TDB	2004/07/13 09:01
-	169	(secondary adj3 adapter) and (boot\$4 or configur\$7 or initial\$7 or program\$7)	USPAT; US-PGPUB; IBM_TDB	2004/07/13 09:05
-	6	(secondary adj3 adapter) with host	USPAT; US-PGPUB; IBM_TDB	2004/07/13 09:02
-	1	(secondary adj3 adapter) and ((boot\$4 or configur\$7 or initial\$7 or program\$7) same (second\$4 adj processor))	USPAT; US-PGPUB; IBM_TDB	2004/07/13 09:12
-	9	(secondary adj3 adapter) and ((retiev\$4 or access\$4 or download\$4)near3 (program or instruction))	USPAT; US-PGPUB; IBM_TDB	2004/07/13 09:09
-	0	((retiev\$4 or access\$4 or download\$4)near5 ((code or program or software) adj instruction))with (non\$volatile or flash or eeprom or eprom or rom) same adapter	USPAT; US-PGPUB; IBM_TDB	2004/07/13 09:11
-	0	((retiev\$4 or access\$4 or download\$4)near5 ((code or program or software) adj instruction))with (non\$volatile or flash or eeprom or eprom or rom) and adapter	USPAT; US-PGPUB; IBM_TDB	2004/07/13 09:11
-	2	((retiev\$4 or access\$4 or download\$4)near5 ((code or program or software) adj instruction))with (non\$volatile or flash or eeprom or eprom or rom) and ((boot\$4 or configur\$7 or initial\$7 or program\$7) same (second\$4 adj processor))	USPAT; US-PGPUB; IBM_TDB	2004/07/13 09:35
-	22	((retiev\$4 or access\$4 or download\$4)near5 ((code or program or software) adj instruction))with (non\$volatile or flash or eeprom or eprom or rom)	USPAT; US-PGPUB; IBM_TDB	2004/07/13 09:37
-	133	((boot\$4 or configur\$7 or initial\$7 or program\$7)near4 (second\$4 adj (unit or card or adapter or processor))) same (primary or motherboard or host))	USPAT; US-PGPUB; IBM_TDB	2004/07/13 09:37

-	42	((((boot\$4 or configur\$7 or initial\$7 or program\$7)near4 (second\$4 adj (unit or card or adapter or processor)))same (primary or motherboard or host))) and ((retiev\$4 or access\$4 or download\$4)with (non\$volatile or flash or eeprom or eprom or rom))	USPAT; US-PGPUB; IBM_TDB	2004/07/13 09:38
-	5	(adapter adj8 ((mother or sysem)adj board))with (pci or (peripheral adj3 inter\$6))	USPAT; US-PGPUB; IBM_TDB	2004/07/13 13:26
-	0	(adapter adj8 ((mother or sysem)adj board))with (pci or (peripheral adj3 inter\$6))	EPO; JPO; DERWENT	2004/07/13 13:26
-	14042	(pci or (peripheral adj3 inter\$6))adj bus	USPAT; US-PGPUB; IBM_TDB	2004/07/13 13:26
-	1188	((pci or (peripheral adj3 inter\$6))adj bus) with adapter	USPAT; US-PGPUB; IBM_TDB	2004/07/13 13:27
-	7	((pci or (peripheral adj3 inter\$6))adj bus) with adapter) and ((forc\$4 or set\$4)adj8 diagnostic)	USPAT; US-PGPUB; IBM_TDB	2004/07/13 13:28

L Number	Hits	Search Text	DB	Time stamp
1	12355	713/\$.ccls.	USPAT	2004/07/13 16:12
2	2	713/\$.ccls. and ((system near3 (program\$5 or configur\$6))with ((periheral adj3 control\$4)or (host adj adapter)))	USPAT; US-PGPUB; IBM TDB	2004/07/13 16:13
3	0	713/\$.ccls. and ((devold)adj6 (non\$volatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM TDB	2004/07/13 16:14
4	84	713/\$.ccls. and ((without)adj6 (non\$volatile or eeprom or eprom or flash))	USPAT; US-PGPUB; IBM TDB	2004/07/13 16:14